



## Outdoor and Landscape Lighting

## NEW SUBMERSIBLE LED STRIP LIGHT



Diode LED introduces HYDROLUME™, a truly waterproof, California factory-finished strip light designed to perform for years in extreme outdoor environments. HYDROLUME offers a resistance to the elements that is essential to performance and longevity.



### UV-RESISTANT

No degradation or discoloration in direct sunlight



### SALTWATER-SAFE

Increased longevity in coastal and marine environments



### CHLORINE-RESISTANT

Enhanced performance in treated water



### SUBMERSIBLE

Waterproof, fully submersible, and weatherproof



### IMPACT-RESISTANT

Durable and resilient enough to withstand light impact



### LOW VOLTAGE

Minimal heat and greater safety



# HYDROLUME™ 24V LED STRIP LIGHT



|                |                      |                    |
|----------------|----------------------|--------------------|
| HYDROLUME      | 3500K Warm White     | DI-24V-HL35-80-**  |
| HYDROLUME      | 6500K Daylight White | DI-24V-HL65-72-**  |
| HYDROLUME PLUS | 3500K Warm White     | DI-24V-HLP35-80-** |
| HYDROLUME PLUS | 6500K Daylight White | DI-24V-HLP65-72-** |

## Quick Specifications:

- IP68 waterproof
- CREE® LED chips
- Custom lengths up to 81.5 feet
- Dimmable
- 5-year warranty

## Popular Applications:

- Coastlines, marine environments, boats, and docks
- Pools, fountains, and water features
- Indoor/outdoor architectural accenting
- Steps, paths, and driveways
- Decks, gardens, and trellises
- Indoor cove lighting

## HYDROLUME Accessories



### HYDROLUME Mounting Bracket

DI-HL-MTBR

This bracket mounts to surfaces with a single screw. HYDROLUME is then snapped into place. Sold in 10 packs.



### HYDROLUME Mounting Channel

DI-HL-MTCH

These 39.4 in. (1 meter) mounting channels are easily trimmed to custom lengths.




### HYDROLUME Stake Bracket

DI-HL-STBR

This bracket raises the strip light so that it's clear of low foliage, dirt, and surface obstructions.



This weatherproof LED strip light is factory-finished in the U.S. by Diode LED.



Competitor products degrade over time as a result of exposure to the elements.

HYDROLUME is not subject to peeling, yellowing, or cracking.

## WET LOCATION LED STRIP LIGHT

### Fully encased outdoor linear lighting

Diode LED offers wet location LED strip lights that are commercial-grade linear lights designed for dramatic highlighting effects in home and business applications. FLUID VIEW and BLAZE offer medium and high output options for outdoor and wet location linear lighting.

### Popular Applications:

- Landscaping
- Residential deck and patio
- Stairways
- Garages and basements
- Wine cellars and humidors
- Kitchens and bathrooms

## FLUID VIEW™ 12V LED STRIP LIGHT



### Quick Specifications:

- NEW 80 CRI
- NEW 16.4 ft. spool
- 12V DC
- 1.44W per ft.
- Field cuttable every 2 in.

3000K Warm White | [DI-12V-FV30-W8016](#)

## BLAZE™ 12V LED STRIP LIGHT



### Quick Specifications:

- NEW 80 CRI
- NEW 16.4 ft. spool
- 12V DC
- 2.88W per ft.
- Field cuttable every 1 in.

3000K Warm White | [DI-12V-BL30-W8016](#)

6300K Cool White | [DI-12V-BL63-W8016](#)



# MATTONE™ & MATTONE MINI STEP LIGHTS

## Direct-wire outdoor recessed step lighting

MATTONE is a recessed fixture perfect for illuminating steps, hallways, and pathways. Whether in a standard “brick” size or mini model, these fixtures integrate seamlessly with new or existing construction. With horizontally or vertically oriented faceplates, MATTONE can be used for interior and exterior wall, concrete, and brick/mortar applications. Faceplates are available in many styles—including our MINI ARCHITECTURAL line—for directional light or style matching. MATTONE connects directly to 100-277V AC power, making it suitable for both commercial and residential applications.

### Faceplates available in:

- Brushed nickel finish
- Dark bronze finish
- Powder white finish
- Louvered style
- Shroud style
- Wave style
- Lensed style

### Quick Specifications:

- NEW MINI ARCHITECTURAL Faceplates
- Standard “brick” size or mini
- 100-277V AC
- 5-year warranty

3200K Warm White

[See our website for item #s](#)

[www.DiodeLED.com](http://www.DiodeLED.com)



# INFINILINE™ 120V LED STRIP LIGHT

## Driverless linear lighting with extended run length

INFINILINE is a driverless strip light that offers a trifecta of versatility: a high light output, an extended individual run length, and an indoor/outdoor IP44 rating. The extended single-run length and driverless design offer simplicity of installation that significantly decreases installation labor costs. When environments are exposed to water or where having a smooth, cleanable light source is desirable, INFINILINE is an excellent choice.



### Popular Applications:

- Landscaping
- Decks and patios
- Indoor/outdoor pathways
- Stairways
- Restaurants

### Quick Specifications:

- 120V AC
- Custom lengths
- IP44 rating
- 4.21W per ft.
- Run lengths of up to 164 ft.

[3000K Warm White](#)

[6300K Cool White](#)

[Red](#)

[Green](#)

[Blue](#)

[See our website for item #s](#)

[www.DiodeLED.com](http://www.DiodeLED.com)



# DAZZLE 24™ 24V RGB LED STRIP LIGHT

## Dramatic full-color linear lighting

This high-output full color lighting solution provides dynamic color for dramatic, mood-enhancing effects. DAZZLE 24 Wet Location combined with a color controller unlocks unlimited color possibilities with programmable light scenes and effects. DAZZLE 24 Wet Location is a light source that creates a full spectrum of colors for high-impact lighting requirements.



### Popular Applications:


- Bars, clubs, and lounges
- Restaurants
- Architectural highlighting
- Indoor/outdoor pathways
- Stairways

### Quick Specifications:

- 16.4 ft. spool
- 24V DC
- 4.32W per ft.
- Field cuttable every 4 in.

RGB | [DI-24V-DRGB-W016](#)

Custom DMX programming services available.  
Call Customer Support for details: 877.817.6028



RGB backlighting shown at right and left of staircase.

# WALL WASHERS

## Architectural area, accent, and fill lighting

Diode LED wall washers are ideal for architectural area, accent, and fill lighting for large environments. Wall washers can work independently or be daisy-chained for dramatic effects. These bright fixtures have on-board controls and are DMX512 compatible for total control of complex theater, performance, or special-event lighting. Made of durable aluminum, these powerful 100-256V AC fixtures can be installed in indoor and outdoor locations.

### SPLASHLIGHT™



#### Quick Specifications:

- 100-256V AC
- IP65 rating
- 23 ft. projection
- 45° spotlight
- 5-year warranty
- Floor mounting only


RGB | DI-0480

### SPHERE-STAR™



#### Quick Specifications:

- 100-256V AC
- IP65 rating
- 65 ft. projection
- 15° spotlight
- 5-year warranty





## Popular Applications:

- Parks and gardens
- Architectural exteriors
- Restaurants and nightclubs
- Stage lighting
- Hotels and apartment buildings
- Trade shows and corporate events

## BROADWAVE™




|             |         |
|-------------|---------|
| 6000K White | DI-0475 |
| RGB         | DI-0471 |

## Quick Specifications:

- 100-256V AC
- IP65 rating
- 23 ft. projection
- 45° spotlight
- 5-year warranty

|             |        |                 |
|-------------|--------|-----------------|
| 6000K White | 18 in. | DI-BRW-6045-18  |
| RGB         | 18 in. | DI-BRW-RGB45-18 |
| 6000K White | 49 in. | DI-0454         |
| RGB         | 49 in. | DI-0450         |



# SPOTMOD™ LED FIXTURE

## A versatile, compact fixture for outdoor spotlighting and highlighting

The SPOTMOD Fixture provides high light output in a small form factor. It features a compact size and powerful light projection in a broad or narrow light beam. This outdoor module light is wet location rated and features a waterproof plug that creates a secure and weatherproof connection. Each dimmable SPOTMOD is made of sturdy aluminum.



### Popular Applications:

- Landscape lighting
- Pergola downlighting
- Wall uplighting
- Patios and decks
- Stairways and aisles
- Marker lighting

### Quick Specifications:

- Compact size (1.56 x 1.11 in.)
- 15° beam angle for a focused spotlight
- 45° beam angle for a broad floodlight
- IP65 for indoor/outdoor locations

|                |                  |                    |
|----------------|------------------|--------------------|
| 15° spotlight  | 3000K Warm White | DI-SPOT-SP30-15-BA |
| 15° spotlight  | 5000K Cool White | DI-SPOT-SP50-15-BA |
| 45° floodlight | 3000K Warm White | DI-SPOT-SP30-45-BA |
| 45° floodlight | 5000K Cool White | DI-SPOT-SP50-45-BA |



# LED LIGHT BARS

## Durable finished fixtures

Diode LED's light bars offer one of the easiest ways to create finished lighting projects. Light bars come in multiple form factors and are versatile, durable, dimmable, and capable of providing light for many applications. Light bars provide contemporary solutions in durable and dustproof fixtures.

### Popular Applications:

- Landscaping
- Residential deck and patio
- Outdoor pathways
- Stairways
- Restaurants and lounges

## SUNRISE™ LIGHT BARS



### Quick Specifications:

- IP65 wet location
- 12V DC
- 1.44W per ft.

6 inch

10 inch

12 inch

20 inch

24 inch

3000K Warm White

6300K Cool White

See our website for item #s

[www.DiodeLED.com](http://www.DiodeLED.com)

## CASCADE™ LIGHT BARS



### Quick Specifications:

- IP65 wet location
- 12V DC
- 4.32W per ft.

12 inch

24 inch

3000K Warm White

6300K Cool White





[www.DiodeLED.com](http://www.DiodeLED.com)



© 2015 Elemental LED

877.817.6028